



# Sleek, Stylish, Eye-Catching

UHD Super Slim Signage



Ultra High Resolution



Slim Design



All-In-One Solution



USB Plug & Play



24hours/  
7days



Portrait /  
Landscape

AUO UHD Super Slim Signage is perfect digital displays for small or large retail business. The super slim 25mm design in depth can dress up commercial interiors without compromising the functionality. Combining a zero-gap wall mount, AUO UHD Super Slim Signage is perfect for ADA concerns and space conscious installations. Featuring stunning 4K UHD resolution, AUO Super Slim Signage delivers eye-catching image to attract shoppers and potential consumers.



## Ultra High Picture Quality

The UHD 4K ultra high resolution produces sharper text and crisper details. It easily handles any indoor lighting challenges with 700 nits while the extraordinary 4,000:1 contrast ratio generates vivid, brilliant images, making your message and pictures even more attractive.


Wi-Fi LAN USB



## Hassle-Free Content Management and Deployment

Complete with embedded Android operating system, the content management of AUO UHD Super Slim Signage is easy and convenient via WiFi or LAN. With USB plug-and-play function, it allows content files to be deployed in seconds. A built-in central IR remote control is available for simple operation.





## Vivid Slimline Enhances the Space

This super slim, stylish display is a scant 25mm in depth and can dress up commercial interiors without compromising the functionality. Featuring a zero-gap wall mount that is included for quick and simple installation, the UHD Super Slim is perfect for ADA concerns and space conscious installation.

## Zero-Gap Wall Mount



# UHD Super Slim Signage

43" | 50" | 55" | 65"



Product Name	PUS43A	PUS50A	PUS55A	PUS65A
Model	43" Slim Signage	50" Slim Signage	55" Slim Signage	65" Slim Signage
Resolution	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160
Brightness (nits)	700	700	700	700
Contrast Ratio	4000:1	4000:1	4000:1	4000:1
I/O (Signal Input)	HDMI x 2 , USB x 2			
I/O (Signal Output)	-			
I/O (Control)	RS232C (In) x 1 (2.5mm) , IR (In) x 1 (3.5mm) , RJ45 (In) x 1			
I/O (Audio)	Audio x 1 (Out)			
System	Android 9.0 , Arm® Cortex™- A53 Quad-core , 3GB DDR4 / 32GB eMMC , Bluetooth & WiFi Dongle (optional)			
Power Consumption (typical)	95W	100W	110W	150W
Outline Dimension (mm)	964.49 x 555.72 x 25	1117 x 639 x 30 (*)	1234 x 703.9 x 34.4	1450.5 x 827 x 39.9 (*)
Weight (kg)	12.5	16	21.5	29
Wall Mount (mm)	VESA 400 x 400			
Product Life (hrs)	50,000			
Product Life (hrs)	24/7			
Operation Mode	Portrait/Landscape			

(\*) Pre-spec, specifications are subject to change without prior notice.



Email: [ssbinfo@auo.com](mailto:ssbinfo@auo.com)  
[SLSP.AUO.COM](http://SLSP.AUO.COM)

© 2022 AUO Corp. All right reserved. Product features and specifications may vary by region and may change without notice. This material may include corporate names and trademarks of third parties which are the properties of the third parties respectively.  
 Doc: CommercialDisplay\_Slim\_FL\_EN\_202208

